

TEEJET INLINE STRAINERS



STRAINERS SUPPLIED LESS SCREEN - PURCHASE SCREEN SEPARATELY



TEEJET STRAINER 3/4" & 1"

- Poly head & bowl
- Stainless Steel Screen
5 3/4" x 1 1/8"
- EPDM O-Ring
- Max. 75 PSI
- Max. 100° F



TEEJET STRAINER 3/4" & 1"

- Nylon head & bowl
- Stainless Steel Screen
5 3/4" x 1 1/8"
- EPDM O-Ring
- Max. 110 PSI
- Max. 100° F



TEEJET STRAINER 3/4" & 1"

- Aluminum head
- Nylon body
- Stainless Steel Screen
5 3/4" x 1 3/8"
- EPDM O-Ring
- Max. 150 PSI
- Max. 100° F.

No.	FPT	Description
3051P	3/4"	Poly Strainer (less screen)
3053P	1"	Poly Strainer (less screen)

No.	FPT	Description
3051N	3/4"	Nylon Strainer (less screen)
3053N	1"	Nylon Strainer (less screen)

No.	FPT	Description
3051A	3/4"	Alum. Strainer (less screen)
3053A	1"	Alum. Strainer (less screen)

3/4" & 1" STRAINER SCREENS

No.	Description
3052-16	16 Mesh Screen
3052-20	20 Mesh Screen
3052-30	30 Mesh Screen
3052-50	50 Mesh Screen
3052-80	80 Mesh Screen
3052-100	100 Mesh Screen
3052-200	200 Mesh Screen

3/4" & 1" STRAINER HEADS

No.	Description
2075P-3/4	3/4" Poly Head
2075N-3/4	3/4" Nylon Head
2075N-1	1" Nylon Head
2075A-3/4	3/4" Alum. Head
2075A-1	1" Alum. Head

3/4" & 1" STRAINER PARTS

No.	Description
2043	EPDM O-ring
2037	Viton O-ring
Bowls for Polypropylene Heads - 75 PSI	
2073	Poly Bowl
Bowls for Cast Iron, Alum. & Nylon - 150 PSI	
2075A-1	Reinforced Nylon Bowl



NYLON STRAINER 1 1/4" & 1 1/2" Ports

- Nylon head & bowl
- Stainless Steel Screen
7 5/8" x 2 1/4"
- EPDM O-ring
- Max. 110 PSI
- Max. 100° F.



ALUMINUM STRAINER 1 1/4" & 1 1/2" Ports

- Aluminum head
- Nylon bowl
- Stainless Steel Screen
7 5/8" x 2 1/4"
- EPDM O-ring
- Max. 150 PSI
- Max. 100° F

No.	FPT	Description
3060N	1 1/4"	Nylon Strainer (less screen)
3062N	1 1/2"	Nylon Strainer (less screen)

No.	FPT	Description
3060A	1 1/4"	Alum. Strainer (less screen)
3062A	1 1/2"	Alum. Strainer (less screen)

1 1/4" & 1 1/2" STRAINER REPAIR PARTS

No.	Description
2063N-11/4	1 1/4" Nylon Head
2063N-11/2	1 1/2" Nylon Head
2063A-11/4	1 1/4" Alum. Head
2063A-11/2	1 1/2" Alum. Head
2031	Buna-N O-ring
2030	Viton O-ring
Bowl for Nylon Heads - 110 PSI	
2062	Reinforc. Nylon Bowl
Bowl for Cast Iron & Alum. Heads - 150 PSI	
2032	Reinforc. Nylon Bowl

SCREENS FOR 1 1/4" & 1 1/2" TEEJET STRAINERS

No.	Description
3061-16	16 Mesh Screen
3061-30	30 Mesh Screen
3061-50	50 Mesh Screen

No.	Description
3061-80	80 Mesh Screen
3061-100	100 Mesh Screen
3061-120	120 Mesh Screen



TEEJET STRAINER 2" & 2 1/2" Ports

- Aluminum head
- Nylon bowl
- Stainless Steel Screen
9 3/4" x 3 3/8"
- EPDM O-ring
- Max. 150 PSI
- Max. 100° F.



POLY TEEJET COMPACT STRAINER 1 1/2" & 3/4" Ports

- Poly head & bowl
- Stainless Steel Screen
2 3/4" x 1 1/8"
- EPDM O-Ring
- Max. 150 PSI
- Max. 100° F

No.	FPT	Description
3048P	1/2"	Poly Strainer (less screen)
3050P	3/4"	Poly Strainer (less screen)

1/2" & 3/4" STRAINER SCREENS & REPLACEMENT PARTS

No.	Description
3049-16	16 Mesh Screen
3049-30	30 Mesh Screen
3049-50	50 Mesh Screen
3049-80	80 Mesh Screen
3049-100	100 Mesh Screen
3049-200	200 Mesh Screen
2429-1/2	1/2" Poly Head
2429-3/4	3/4" Poly Head
2434	EPDM Gasket
2435	Polyprop. Bowl

No.	FPT	Description
3063	2"	Alum. Strainer (less screen)
3065	2 1/2"	Alum. Strainer (less screen)

2" & 2 1/2" STRAINER SCREENS & REPLACEMENT PARTS

No.	Description
3064-16	16 Mesh Screen
3064-30	30 Mesh Screen
3064-50	50 Mesh Screen
3064-80	80 Mesh Screen
3064-100	100 Mesh Screen
2070	2" Aluminum Head
2071	2 1/2" Aluminum Head
2078	Buna-N O-ring
2069	Viton O-ring
2072	Nylon Bowl

- Extends your spraying time with a self cleaning feature that minimizes clogging.
- Uses excess pump flow to bypass clogging particles back to tank.
- In order that the wash down will occur a minimum of 6 GPM (3/4" & 1") and 8 GPM (1 1/4" & 1 1/2") flow is required through the by pass line.



SELF CLEANING TEEJET STRAINER

3/4" & 1" Ports

- Nylon head & bowl
- Stainless steel screen 5 3/4" x 1 1/2"
- EPDM O-ring
- Max. 110 PSI
- Max. 100° F

No.	FPT	Description
3076N	3/4"	Nylon Strainer (less screen)
3078N	1"	Nylon Strainer (less screen)



SELF CLEANING TEEJET STRAINER

3/4" & 1" Ports

- Aluminum head
- Reinforced nylon bowl
- 304 Stainless steel screen 5 3/4" x 1 1/2"
- EPDM Gasket
- Max. 150 PSI
- Max. 100° F

No.	FPT	Description
3076A	3/4"	Alum. Strainer (less screen)
3078A	1"	Alum. Strainer (less screen)

SCREENS FOR 3/4" & 1" SELF CLEANING STRAINERS

No.	Description
3077-16	16 Mesh Screen
3077-30	30 Mesh Screen
3077-50	50 Mesh Screen
3077-80	80 Mesh Screen
3077-100	100 Mesh Screen
3077-200	200 Mesh Screen
3/4" & 1" Strainer Replacement Parts	
2075N-3/4	3/4" Nylon Head
2075N-1	1" Nylon Head
2075A-3/4	3/4" Aluminum Head
2075A-1	1" Aluminum Head
2043	EPDM Head O-ring
2037	Viton Head O-ring
1960	Reinforced Nylon Bowl
1961	Inner Cylinder
1962	Bypass Adapter
1963	Viton Adapter O-ring
1963E	EPDM Adapter O-ring



SELF CLEANING TEEJET STRAINER

1 1/4" & 1 1/2" Ports

- Nylon head & bowl
- Stainless steel screen 7 15/16" x 2 1/4"
- EPDM O-Ring
- Max. 110 PSI
- Max. 100° F

No.	FPT	Description
3080N	1 1/4"	Nylon Strainer (less screen)
3082N	1 1/2"	Nylon Strainer (less screen)



SELF CLEANING TEEJET STRAINER

1 1/4" & 1 1/2" Ports

- Aluminum head
- Reinforced nylon bowl
- 304 Stainless steel screen 7 15/16" x 2 1/4"
- EPDM Gasket
- Max. 150 PSI
- Max. 100° F


No.	FPT	Description
3080A	1 1/4"	Alum. Strainer (less screen)
3082A	1 1/2"	Alum. Strainer (less screen)

SCREENS FOR 1 1/4" & 1 1/2" SELF CLEANING STRAINERS

No.	Description
3081-16	16 Mesh Screen
3081-30	30 Mesh Screen
3081-50	50 Mesh Screen
3081-80	80 Mesh Screen
3081-100	100 Mesh Screen
3081-200	200 Mesh Screen
1 1/4" & 1 1/2" Strainer Replacement Parts	
2063N-11/4	1 1/4" Nylon Head
2063N-11/2	1 1/2" Nylon Head
2063A-11/4	1 1/4" Aluminum Head
2063A-11/2	1 1/2" Aluminum Head
2031	Buna-N Head O-ring
2030	Viton Head O-ring
1974	Reinforced Nylon Bowl
1976	Inner Cylinder
1977	Bypass Adapter
1982	Viton Adapter O-ring



High Velocity of Liquid Stream Between Cylinder and Screen Provides Continuous Washdown of Particles to Bypass Line.



COMPACT FLUSH OUT STRAINER TEEJET STRAINERS

1/2" & 3/4" Ports

- Polypropylene head & bowl
- Stainless steel screen 2 3/4" x 1 1/8"
- EPDM Head gasket
- Buna-N O-ring
- Max. 100° F, 150 PSI

No.	FPT	Description
3083	1/2"	Poly Strainer (less screen)
3085	3/4"	Poly Strainer (less screen)

SCREENS FOR 1/2" & 3/4" FLUSH OUT STRAINERS

No.	Description
3049-16	16 Mesh Screen
3049-30	30 Mesh Screen
3049-50	50 Mesh Screen
3049-80	80 Mesh Screen
3049-100	100 Mesh Screen
3049-200	200 Mesh Screen
Compact Strainer Replacement Parts	
2429-1/2	1/2" Poly Head
2429-3/4	3/4" Poly Head
2434	EPDM Head Gasket (strn)
2434V	Viton Head Gasket (opt)

BANJO INLINE STRAINERS



CLEAN OUT PLUG FOR QUICK DRAINING OR FLUSHING OF SCREEN

BANJO 1/2" & 3/4" PORTS



- Poly Construction
- 304 Stainless Steel Screens 5⁵/₁₆" x 1¹/₁₆"
- 1/4" Drain Plug
- EPDM Gasket
- Max. 75 PSI at 70°F
- Max 180° F.

PURCHASE SCREENS SEPARATELY

No.	Description
3010P	1/2" FPT Strainer (less screen)
3011P	3/4" FPT Strainer (less screen)
1/2" & 3/4" Strainer Screens	
3010-20	20 Mesh Screen
3010-40	40 Mesh Screen
3010-80	80 Mesh Screen
1/2" & 3/4" Strainer Parts	
1056GE	End Cap EPDM Gasket
1056GV	Viton Gasket
1056C	End Cap
BA12723	1/4" Drain Plug
BA12724	EPDM Drain Plug O-ring

BANJO 3/4" & 1" PORTS



- Heavy Duty Glass Reinforced Polypropylene
- Clean Out Plug
- 304 Stainless Steel Reinforced Screens 5⁵/₁₆" x 1³/₈"
- EPDM Gasket
- Max. 150 PSI at 70° F

PURCHASE SCREENS SEPARATELY

No.	Description
3016P	3/4" Strainer (less screen)
3017P	1" Strainer (less screen)
3/4" & 1" Strainer Screens	
3016-16	16 Mesh Screen
3016-30	30 Mesh Screen
3016-50	50 Mesh Screen
3016-80	80 Mesh Screen
3016-100	100 Mesh Screen
3/4" & 1" Strainer Parts	
1059-3/4	3/4" Poly Head
1059-1	1" Poly Head
1059B	3/4" & 1" Bowl
1057GE	3/4" & 1" Gasket
1057GV	3/4" & 1" Viton Gasket
1057P	1/2" Clean-out Plug
1057PE	Plug O-ring - EPDM
1057PV	Plug O-ring - Viton
BAO34G	Screen O-ring - EPDM

BANJO 1" & 1 1/4" PORTS



- Poly Construction
- 304 Stainless Steel Screens 5⁵/₁₆" x 1¹/₁₆"
- 1/2" Drain Plug
- EPDM Gasket
- Max. 75 PSI at 70°F
- Max 180° F

PURCHASE SCREENS SEPARATELY

No.	Description
3012P	1" Strainer (less screen)
3013P	1 1/4" Strainer (less screen)
1" & 1 1/4" Strainer Screens	
3012-20	20 Mesh Screen
3012-40	40 Mesh Screen
3012-80	80 Mesh Screen
1" & 1 1/4" Strainer Parts	
1057GE	EPDM End Cap Gasket
1057GV	Viton Gasket
1057C	End Cap
1057P	1/2" Drain Plug
1057PE	Plug O-ring - EPDM
1057PV	Plug O-ring - Viton
BA125G	Screen O-ring - EPDM

BANJO 1 1/4" & 1 1/2" PORTS



- Heavy Duty Glass Reinforced Polypropylene
- Clean Out Plug
- 304 Stainless Steel Reinforced Screens 7¹⁵/₁₆" x 2¹/₄"
- EPDM Gasket
- Max. 150 PSI at 70° F

PURCHASE SCREENS SEPARATELY

No.	Description
3018P	1 1/4" Strainer (less screen)
3019P	1 1/2" Strainer (less screen)
1 1/4" & 1 1/2" Strainer Screens	
3018-16	16 Mesh Screen
3018-30	30 Mesh Screen
3018-50	50 Mesh Screen
3018-80	80 Mesh Screen
3018-100	100 Mesh Screen
1 1/4" & 1 1/2" Strainer Parts	
1060-11/4	1 1/4" Poly Head
1060-11/2	1 1/2" Poly Head
1060B	Bowl 1 1/4" & 1 1/2" Strainer
1060GE	1 1/4" & 1 1/2" EPDM Gasket
1060GV	1 1/4" & 1 1/2" Viton Gasket
1058P	Clean-out Plug
1058PE	Plug O-ring - EPDM
1058PV	Plug O-ring - Viton

BANJO 1 1/2" & 2" PORTS



- Poly Construction
- 304 Stainless Steel or Poly Screens 6 15/16 x 2 9/16
- 1" Drain Plug
- EPDM Gasket
- Max. 150 PSI at 70°F
- Max 180° F.

PURCHASE SCREENS SEPARATELY

No.	Description
3014P	1 1/2" Strainer (less screen)
3015P	2" Strainer (less screen)
1 1/2" & 2" Strainer Screens	
3014-6	6 Mesh Stainless Steel
3014-12	12 Mesh Stainless Steel
3014-20	20 Mesh Stainless Steel
3014-30	30 Mesh Stainless Steel
3014-50	50 Mesh Stainless Steel
3014-80	80 Mesh Stainless Steel
3014-120	120 Mesh Stainless Steel
3014P-12	12 Mesh Poly Black
3014P-20	20 Mesh Poly Tan
1 1/2" & 2" Strainer Parts	
1058GE	New Style SQ Gasket
1058GV	New Style SQ Viton Gasket
1058GEO	Old Style Gasket
1058GVO	Old Style Viton Gasket
1058C	New Style End Cap
1058P	1" Drain Plug
1058PE	1" Plug O-ring - EPDM
1058PV	1" Plug O-ring - Viton
BA141G	2" Screen O-ring - EPDM

2" "T" LINE STRAINER - POLY/STAINLESS COMBO



- 316 stainless steel head
- Glass reinforced polypropylene bowl
- Clean-out plug
- 316 stainless steel reinforced screens
- Viton gaskets
- 150 PSI at 70° F

PURCHASE SCREENS SEPARATELY

No.	Description
3032SS	2" SS Strainer (less screen)
2" Strainer Screens	
3032-4	4 Mesh Screen
3032-6	6 Mesh Screen
3032-8	8 Mesh Screen
3032-10	10 Mesh Screen
3032-16	16 Mesh Screen
3032-30	30 Mesh Screen
3032-50	50 Mesh Screen
3032-80	80 Mesh Screen
3032-100	100 Mesh Screen
Parts for 2" "T" Strainer	
1062H	2" SS Head
1062B	2" Poly Bowl
1062GV	2" Viton Gasket
1058P	Clean out plug
1058PV	Plug O-ring - Viton

BANJO INLINE STRAINERS

BANJO LSQ SERIES 1½" & 2" STRAINER



- Poly construction
- Cam Lever Cap
- 1" Plug in cap for flushing or draining
- Stainless steel screens 7¹⁵/₁₆" x 2⁹/₁₆"
- EPDM Gasket
- Max. 50 PSI

PURCHASE SCREEN SEPARATELY

No.	Description
3030B	1½" Strainer (less screen)
3031B	2" Strainer (less screen)
1½" & 2" LSQ Strainer Screens	
3014-6	6 Mesh Screen SS
3014-12	12 Mesh Screen SS
3014-20	20 Mesh Screen SS
3014-30	30 Mesh Screen SS
3014-50	50 Mesh Screen SS
3014-80	80 Mesh Screen SS
1½" & 2" LSQ Strainer Parts	
1061GE	EPDM Cap Gasket
1061GV	Viton Cap Gasket
1061C	Cap for 1½" & 2" Strainer
1061P	1" Clean out plug
1058PE	Plug O-ring - EPDM
1058PV	Plug O-ring - Viton
2535SS	SS Cam Arm
2956	SS Cam Pin
1061-11/2	1½" Body
1061-2	2" Body
2536	Ring

BANJO 3" STRAINER

- Poly Construction
- High volume
- Stainless steel screen 9⁹/₁₆" x 4⁹/₁₆" and cap clamp
- 1/2" drain plug in cap
- EPDM
- Max 50 PSI



PURCHASE SCREEN SEPARATELY

No.	Description
3033P	3" Strainer (less screen)
3" Strainer Screens	
3033-4	4 Mesh Screen
3033-8	8 Mesh Screen
3033-12	12 Mesh Screen
3033-20	20 Mesh Screen
3033-50	50 Mesh Screen
3" Strainer Parts	
1063C	3" Cap
1063SSC	3" SS Clamp
1063GE	EPDM Gasket
1063GV	Viton Gasket
1063B	"Y" 3" Body

BANJO 3" STAINLESS STEEL "Y" STRAINER

- EPDM Gasket
- Corrosion Resistant
- 200 PSI Maximum
- Stainless steel screen 6¹/₄" x 3¹/₂"



PURCHASE SCREEN SEPARATELY

No.	Description
3034SS	3" SS Strainer (less screen)
3" SS Strainer Screens	
3034-8	8 Mesh Screen
3034-12	12 Mesh Screen
3034-20	20 Mesh Screen
3034-30	30 Mesh Screen
3034-50	50 Mesh Screen
3" SS Strainer Parts	
1064G	Screen Seal (2 req)
1064CE	Cap Gasket
1064HC	Handle / Clamp Assembly
1064B	3" SS Body
1064C	3" SS Cap

HYPRO INLINE STRAINERS



HYPRO STRAINERS



- Low Profile
- Stainless Steel Screen
- Poly Head & Bowl
- EPDM Gasket
- Max. 80 PSI

No.	Ports	Mesh
3022	1/4" FPT	20
3023	&	40
3024	1/2" MPT	80

HYPRO STRAINERS



- Low Profile
- Stainless Steel Screen
- Nylon Head
- Clear Bowl
- Viton Gasket
- Max. 100 PSI

No.	Ports	Mesh
3019	1/4" FPT	20
3020	&	40
3021	1/2" MPT	80

HYPRO STRAINERS



- Standard size strainer
- Stainless Steel Screen
- Poly Head and Bowl
- EPDM Gasket
- Max. 80 PSI

No.	FPT	Mesh
3340	1/2"	20
3341	1/2"	50
3342	1/2"	80
3344	3/4"	20
3345	3/4"	50
3346	3/4"	80
3348	1"	20
3349	1"	50
3350	1"	80
3352	1 1/4"	20
3353	1 1/4"	50
3354	1 1/4"	80
3356	1 1/2"	20
3357	1 1/2"	50
3358	1 1/2"	80

HYPRO STRAINERS



- Standard size
- Stainless Steel Screen
- Nylon Head and Bowl
- Viton Gasket
- Max. 150 PSI

No.	FPT	Mesh
3380	1/2"	20
3381	1/2"	50
3382	1/2"	80
3384	3/4"	20
3385	3/4"	50
3386	3/4"	80
3388	1"	20
3389	1"	50
3390	1"	80
3392	1 1/4"	20
3393	1 1/4"	50
3394	1 1/4"	80
3396	1 1/2"	20
3397	1 1/2"	50
3398	1 1/2"	80

HYPRO INLINE STRAINER REPLACEMENT PARTS



HYPRO STRAINER REPLACEMENT PARTS 1/2" x 3/4" FPT

Screen Dimensions
Length 3 1/8" OD 1 5/8"

No.	Description
1908	20 Mesh Screen
1909	50 Mesh Screen
1910	80 Mesh Screen
2041	Viton Gasket
1913	Black Poly Bowl
1914	White Nylon Bowl
1915	Clear Bowl
1916	1/2" Black Poly Cap
1918	3/4" Black Poly Cap
1917	1/2" White Nylon Cap
1919	3/4" White Nylon Cap



HYPRO STRAINER REPLACEMENT PARTS 1" FPT

Screen Dimensions
Length 4 1/4" OD 2 5/8"

No.	Description
1979	20 Mesh Screen
1980	50 Mesh Screen
1981	80 Mesh Screen
1964	Black Poly Cap
1965	White Poly Cap
1998	EPDM Gasket
1999	Viton Gasket
1988	Black Poly Bowl
1989	White Poly Bowl
1990	Clear Bowl



HYPRO STRAINER REPLACEMENT PARTS 1/4" FPT

Screen Dimensions
Length 4 1/2" OD 2 3/8"

No.	Description
2005	20 Mesh Screen
2006	50 Mesh Screen
2007	80 Mesh Screen
2008	Black Poly Cap
2009	White Nylon Cap
1998	EPDM Gasket
1999	Viton Gasket
1988	Black Poly Bowl
1989	White Nylon Bowl
1990	Clear Bowl



HYPRO STRAINER REPLACEMENT PARTS 1/4" FPT x 1/2" MPT

Screen Dimensions
Length 1 5/8" OD 1"

No.	Description
1969	20 Mesh Screen - Short
1970	50 Mesh Screen - Short
1971	80 Mesh Screen - Short
1972	EPDM Gasket
1975	Viton Gasket
1968	Black Short Poly Bowl
1973	White Short Nylon Bowl



HYPRO 1 1/2" STRAINER REPLACEMENT PARTS

Screen Dimensions
Length 5 5/8" OD 1 5/8"

No.	Description
1983	20 Mesh Screen
1984	50 Mesh Screen
1985	80 Mesh Screen
1986	Black Poly Cap
1987	White Poly Cap
1998	EPDM Gasket
1999	Viton Gasket
1988	Black Poly Bowl
1989	White Poly Bowl
1990	Clear Bowl



FLUSHING STRAINER REPLACEMENT PARTS FOR USE WITH POLYPROPYLENE "T" LINE 1 1/4" & 1 1/2" FPT STRAINER

Screen Dimensions
Length 8 1/4" O.D. 2 5/8"

No.	Description
2050	50 Mesh Screen
2051	80 Mesh Screen
2046	Bowl O-ring
2047	Poly Bowl



PVC CLEAR FOOT VALVE

Consists of #1001C05/20 and valve screen #1800-05/20

No.	Size
*5451C	1/2"
*5452C	3/4"
*5453C	1"
*5454C	1 1/4"
*5456C	2"

* Limited quantities available



PVC FOOT VALVE

Consists of #1001-05/20 and valve screen #1800-05/20

No.	Size
5451	1/2"
5452	3/4"
5453	1"
5454	1 1/4"
5455	1 1/2"
5456	2"




POLYPROPYLENE FOOT VALVE

- Rust proof construction
- Large capacity
- Max 50 PSI
- Parts available

No.	MPT	OD x Length
5441	1 1/4"	4 1/4" x 5 1/2"
5442	1 1/2"	4 1/4" x 8"
5443	2"	4 1/4" x 8"

KLEENFLO INTAKE SCREEN



For Lake or Dugout

- Large capacity 9" x 28"
- Vinyl coated metal cage
- Replaceable fiberglass screen
- 2" MPT

No.	Description
5446	Complete Unit
5447	Replacement Bag

FOOT VALVE



- Brass Body
- Stainless Steel Ball
- Stainless Steel Screen
- Polypropylene screen retainer
- Max 200 PSI
- Max 180° F (80° C)

No.	FPT
6059-15	1 1/2"
6059-20	2"



CAST BRASS FOOT VALVE

- #304 Stainless Steel Screen & Spring
- NBR "O" Ring Seal
- Max 180° F (80° C)
- Max 200 PSI

No.	FPT
6060-05	1/2"
6060-07	3/4"
6060-10	1"
6060-12	1 1/4"
6060-15	1 1/2"
6060-20	2"



CAST BRONZE FOOT VALVE

- #304 Stainless Steel Screen & Spring
- Buna-N "O" Ring
- Max 180° F (80° C)
- Max 200 PSI

No.	FPT
6061-05	1/2"
6061-07	3/4"
6061-10	1"
6061-12	1 1/4"
6061-15	1 1/2"
6061-20	2"
6061-30	3"
6061-40	4"



STAINLESS STEEL FOOT VALVE

- #304 Stainless Steel Screen & Spring
- Viton "O" Ring Seal
- Max 180° F (80° C)
- Max 200 PSI

No.	FPT
6062-05	1/2"
6062-07	3/4"
6062-10	1"
6062-12	1 1/4"
6062-15	1 1/2"
6062-20	2"
6062-30	3"
6062-40	4"



HEAVY DUTY PLATED STEEL STRAINER

No.	FPT	Hose Size
5963	1 1/2"	1/4"
5964	2"	3/8"
5965	2 1/2"	3/8"
5966	3"	3/8"
5967	4"	3/8"
5969	6"	1/2"
5970	8"	1"



BANJO SUCTION BASKET STRAINER

- Poly construction
- For Lake or Dugout

No.	FPT
3069	1 1/2"
3070	2"
3071	3"



FLOATING POND FILTER

- Trouble free self fill
- Poly, stainless steel construction
- For Lake or Dugout
- Use check valve on non-priming pumps
- Size: 7" in Diameter x 8" High

No.	Hose Barb
5444	1 1/2"
5445	2"



SUCTION STRAINERS

- PVC Head
- Stainless Steel Screen

No.	FPT	Mesh
3360	1/4"	40
3361	1/4"	80
3363	3/8"	40
3364	3/8"	80
3365	1/2"	20
3366	1/2"	40
3367	1/2"	80
3368	3/4"	20
3369	3/4"	40
3370	3/4"	80
3371	1"	20
3372	1"	40
3374	1 1/2"	20
3375	1 1/2"	40
3376	1 1/2"	80

FLOAT VALVES & ACCESSORIES



BRONZE FLOAT VALVE

3/8" - 1/2" - 3/4" - 1"

- MPT connections
- Buna-N valve seal
- Max 180° F
- Max 125 PSI
- Tapped for 1/4" - 20 SAE rod

Rod & float not included - order separately

No.	MPT x MPT
6080-03	3/8" x 3/8"
6080-05	1/2" x 1/2"
6080-07	3/4" x 3/4"
6080-10	1" x 1"

PLASTIC FLOATS



- Black polypropylene
- Corrosion resistant
- For open tank service only
- Light weight
- Max 175° F

No.	Diam.	Buoyancy	FPT
6080-31P	4.5"	1.30 lbs.	1/4"
6080-32P	5"	2.17	1/4"
6080-33P	6"	3.80	1/4"
6080-34P	8"	9.87	3/8"
6080-35P	10"	15.5	3/8"

FLOAT RODS BRASS



For floats up to 6" diameter

No.	Diam.	Length	Thread
6080-14-8B	1/4"	8"	1/4"-20SAE
6080-14-10B	1/4"	10"	1/4"-20SAE
6080-14-12B	1/4"	12"	1/4"-20SAE
For Floats 8" & 10" in diameter			
6080-38-12B	3/8"	12"	3/8"-16SAE

Note: Adapter no. 6080-38-38B is required to connect 8" & 10" float to rod.



BRONZE BULKHEAD FLOAT VALVES

1/2" & 3/4"

- Bulkhead mount
- SMT (straight male thread)
- Buna-N Gasket
- Faucet outlet
- Max 180° F / 125 PSI
- Rod mount 1/4" - 20 SAE female thread

Rod & float not included - order separately

No.	Inlet	Outlet
6080-05BH	1/2" SMT	Faucet
6080-07BH	3/4" SMT	Faucet

COPPER FLOATS



- Two formed halves soldered together using an inside lapping joint
- For open tank service only

No.	Size	Buoyancy	Rod Con.
6080-29C	3"	0.34 lbs.	1/4"-20 SAE
6080-30C	4"	0.80	1/4"-20 SAE
6080-32C	5"	1.73	1/4"-20 SAE
6080-33C	6"	3.26	1/4"-20 SAE
6080-34C	8"	8.03	3/8" FPT

FLOAT RODS STAINLESS STEEL



For floats up to 6" diameter

No.	Diam.	Length	Thread
6080-14-10SS	1/4"	10"	1/4"-20SAE
6080-14-12SS	1/4"	12"	1/4"-20SAE
For Floats 8" & 10" in diameter			
6080-38-12SS	3/8"	12"	3/8"-16SAE

Note: Adapter no. 6080-38-38B is only available in brass.



BRONZE FLOAT VALVE

- Heavy duty body
- Buna-N disc
- Max 180° F / 125 PSI
- Inlet FPT
- Outlet faucet

Note: 8" or larger float is required
Rod & float not included - order separately

No.	Inlet	Tapped
6080-12	1/4" FPT	3/8" -16 SAE
6080-15	1/2" FPT	3/8" -16 SAE
6080-20	2" FPT	3/8" -16 SAE

FLOATS STAINLESS STEEL



- AISI 316 stainless steel
- Good for most corrosive liquids
- Good for high temperature or extreme temperature

No.	Size	Buoyancy	Rod Con.
6080-29SS	3"	0.21 lbs.	1/4"-20 SAE
6080-30SS	4"	0.65	1/4"-20 SAE
6080-32SS	5"	1.55	1/4"-20 SAE
6080-33SS	6"	2.15	1/4"-20 SAE
6080-34SS	8"	6.44	3/8" FPT



FLOAT THREAD BRASS ADAPTERS

No.	Rod x Float
6080-14-38B	1/4"-20SAE x 3/8" MPT
6080-38-38B	3/8"-16SAE x 3/8" MPT
6080-38-14B	3/8"-16SAE x 1/4"-20SAE

FLOAT VALVE PARTS



LEVER ASSEMBLY FLOAT VALVE

No.	Valve Ports
6080-L38100	3/8" to 1"
6080-L114200	1/4" to 2"



PLUNGER ASSEMBLY FLOAT VALVE

No.	Ports
6080-P38-12	3/8" & 1/2"
6080-P34	3/4"
6080-P100	1"
6080-P114-200	1/4", 1/2", 2"



REPAIR SEAL KIT FLOAT VALVE

No.	Ports
6080-S38-12	3/8" & 1/2"
6080-S34	3/4"
6080-S100	1"
6080-S114-200	1/4", 1/2", 2"

CAST BRASS CHECK VALVE



- Cast brass body & poppet
- Nitrile Buna-N O-ring
- Max. 180°F (80°C)
- Max. 200 PSI

No.	FPT
9188B	1/2"
9189B	3/4"
9190B	1"
9191B	1 1/4"
9192B	1 1/2"
9193B	2"

BRASS CHECK VALVE



- Brass body
- Stainless steel ball
- Max. 150°F
- Max. 200 PSI

No.	FPT x FPT
9206	3/8"
9207	1/2"
9208	3/4"
9209	1"
9210	1 1/4"
9211	1 1/2"
9212	2"



Y-STRAINER CAST BRONZE BODY

- W.O.G 300 PSI at 150°F
- Steam - 150 PSI at 400°F
- 20 Mesh Stainless steel strainer

No.	FPT
3489B	1/2"
3490B	3/4"
3491B	1"
3492B	1 1/4"
3493B	1 1/2"
3494B	2"
3495B	2 1/2"
3496B	3"



HYPRO ALUMINUM LINE STRAINER

- Max. pressure: 100 PSI
- Max flow: 8 gpm
- 1/2" BPS (F) inlet; 1/2" BPS (M) outlet
- Aluminum Housing
- 50 Mesh screen
- Added bypass hose port 1/4"

No.	Mfg. No.
3066	3350-0134

CAST BRONZE CHECK VALVE



- Cast bronze body & poppet
- Nitrile Buna-N O-ring
- Max. 180°F (80°C)
- Max. 200 PSI

No.	FPT
9188	1/2"
9189	3/4"
9190	1"
9191	1 1/4"
9192	1 1/2"
9193	2"
9194	3"
9195	4"

BRONZE SWING CHECK VALVE



- Brass pin and screw
- Max. 200 PSI

No.	FPT
9171	1/2"
9172	3/4"
9173	1"
9174	1 1/4"
9175	1 1/2"
9176	2"
9177	2 1/2"
9178	3"
9179	4"



STAINLESS STEEL FILTER

- Investment cast body
- Max working pressure 600 PSI W.O.G
- Max. working temp. 230°C
- Screens: 20 Mesh

No.	FPT
3489	1/2"
3490	3/4"
3491	1"
3492	1 1/4"
3493	1 1/2"
3494	2"



BRASS PRESSURE RELIEF VALVES

- Non-adjustable
- Set at 75 PSI

No.	MPT x FPT
3097	1/2"
3098	3/4"

STAINLESS STEEL CHECK VALVE



- #304 Stainless steel body & poppet
- Viton Buna-N O-ring
- Max. 180°F (80°C)
- Max. 200 PSI

No.	FPT
9188SS	1/2"
9189SS	3/4"
9190SS	1"
9191SS	1 1/4"
9192SS	1 1/2"
9193SS	2"
9194SS	3"
9195SS	4"

316 STAINLESS STEEL SWING CHECK VALVE



- Full port
- Threaded ends
- 200 PSI W.O.G
- Temperature Rating: 350°F
- Stainless steel class 200 screwed cap
- Swing type disc
- Integral seat

No.	FPT
9171SS	1/2"
9172SS	3/4"
9173SS	1"
9174SS	1 1/4"
9175SS	1 1/2"
9176SS	2"

TEEJET 3/4 Q IN LINE STRAINERS



- Brass with Monel screen
- 3/4" FPT Ports
- Max. Pressure 125 PSI

PURCHASE SCREENS SEPARATELY

No.	Description
1084	3/4" Q Strainer
3/4" Q Strainer Screens	
1084-16	16 Mesh Screen
1084-24	24 Mesh Screen
1084-50	50 Mesh Screen
1084-100	100 Mesh Screen
1084-200	200 Mesh Screen
3/4" Q Strainer Parts	
1084GB	Buna-N Gasket
1084A	Pipe Inlet 3/4 Q
1084B	Brass Body

PVC CHECK VALVES



FPT x FPT
1/2 lb. spring

No.	FPT	Length
1001-05	1/2"	4 1/8"
1001-07	3/4"	4 1/8"
1001-10	1"	5 1/4"
1001-12	1 1/4"	6 3/16"
1001-15	1 1/2"	6 3/16"
1001-20	2"	7"



SLIP x SLIP
1/2 lb. spring

No.	FPT	Length
1011-05	1/2"	4 1/8"
1011-07	3/4"	4 1/8"
1011-10	1"	5 1/4"
1011-12	1 1/4"	6 3/16"
1011-15	1 1/2"	6 3/16"
1011-20	2"	7"

FLO CONTROL CHECK VALVES



FPT x FPT
1/2 lb. spring

No.	FPT	Length
1001-05F	1/2"	4 1/8"
1001-07F	3/4"	4 1/8"
1001-10F	1"	5 1/4"
1001-12F	1 1/4"	6 3/16"
1001-15F	1 1/2"	6 3/16"
1001-20F	2"	7"
1001-25F	2 1/2"	8 5/8"
1001-30F	3"	8 5/8"



SLIP x SLIP
1/2 lb. spring

No.	Size	Length
1011-05F	1/2"	4 1/8"
1011-07F	3/4"	4 1/8"
1011-10F	1"	5 1/4"
1011-12F	1 1/4"	6 3/16"
1011-15F	1 1/2"	6 3/16"
1011-20F	2"	7"
1011-25F	2 1/2"	8 5/8"
1011-30F	3"	8 5/8"



FPT x FPT ADJUSTABLE
5 to 30 PSI

Factory Set at 5 PSI

No.	FPT	Length
1205-05	1/2"	4 1/8"
1205-07	3/4"	4 1/8"
1205-10	1"	5 1/4"
1205-12	1 1/4"	6 3/16"
1205-15	1 1/2"	6 3/16"
1205-20	2"	9 3/4"



FPT x FPT
2 lb. spring

No.	FPT	Length
1002-05	1/2"	4 1/8"
1002-07	3/4"	4 1/8"
1002-10	1"	5 1/4"
1002-12	1 1/4"	6 3/16"
1002-15	1 1/2"	6 3/16"
1002-20	2"	7"
1002-25	2 1/2"	8 5/8"
1002-30	3"	8 5/8"



SLIP x SLIP
2 lb. spring

No.	Size	Length
1012-05	1/2"	4 1/8"
1012-07	3/4"	4 1/8"
1012-10	1"	5 1/4"
1012-12	1 1/4"	6 3/16"
1012-15	1 1/2"	6 3/16"
1012-20	2"	7"
1012-25	2 1/2"	8 5/8"
1012-30	3"	8 5/8"



SLIP x SLIP ADJUSTABLE
5 to 30 PSI

Factory Set at 5 PSI

No.	Size	Length
1225-05	1/2"	4 1/8"
1225-07	3/4"	4 1/8"
1225-10	1"	5 1/4"
1225-12	1 1/4"	6 3/16"
1225-15	1 1/2"	6 3/16"
1225-20	2"	9 3/4"



CLEAR FPT x FPT
1/2 lb. spring

No.	FPT	Length
1001C07	3/4"	4 1/8"
1001C25	2 1/2"	8 5/8"



CLEAR SLIP x SLIP
1/2 lb. spring

No.	FPT	Length
1011C05	1/2"	4 1/8"
1011C07	3/4"	4 1/8"
1011C10	1"	5 1/4"
1011C12	1 1/4"	6 3/16"
1011C15	1 1/2"	6 3/16"
1011C20	2"	7"
1011C25	2 1/2"	8 5/8"
1011C30	3"	8 5/8"



FPT x MPT ADJUSTABLE
5 to 30 PSI

Factory Set at 5 PSI

No.	Size	Length
1235-05	1/2"	4 1/8"
1235-07	3/4"	4 1/8"
1235-10	1"	5 1/4"
1235-12	1 1/4"	6 3/16"
1235-15	1 1/2"	6 3/16"



WHITE TRUE UNION
1/2 lb. spring

No.	FPT	Length
1700-07	3/4"	6.12"
1700-10	1"	6.83"
1700-15	1 1/2"	8.345"
1700-20	2"	9.735"
1700-25	2 1/2"	13 1/4"
1700-30	3"	11.75"



CLEAR TRUE UNION
1/2 lb. spring

No.	Size	Length
1700C07	3/4"	6.12"
1700C10	1"	6.83"
1700C15	1 1/2"	8.345"
1700C20	2"	9.735"
1700C25	2 1/2"	13 1/4"
1700C30	3"	11.75"



SLIP x SLIP TRUE UNION
5-30 PSI

No.	FPT	Range PSI
1750-20	2"	1 to 14 PSI
1753-20	2"	15 to 30 PSI

PVC CHECK VALVES

HOSE THREAD CHECK VALVE (EPDM Gasket)



3/4" Female Hose Thread, 3/4" Male Hose Thread

No.	Size	Length
1136-07	3/4"	4 1/2"



ADJUSTABLE CHECK VALVE
2-14 PSI
Preset @ 5 PSI

No.	Size	Description
1101-05	1/2"	MIPT x FIPT
1101-07	3/4"	MIPT x FIPT
1101-10	1"	MIPT x FIPT



ADJUSTABLE CHECK VALVE
2-14 PSI
Preset @ 5 PSI

No.	Size	Description
1100-05	1/2"	FIPT x FIPT
1100-07	3/4"	FIPT x FIPT
1100-10	1"	FIPT x FIPT

FLO CONTROL PVC SWING CHECK VALVE

Rated @ 125 PSI Static Pressure @ 75 PSI




PVC SWING CHECK SOLVENT WELD
(SLIP x SLIP)

No.	Slip x Slip	Length
1520-05	1/2"	4 1/2"
1520-07	3/4"	4 1/2"
1520-10	1"	5 1/2"
1520-12	1 1/4"	5 1/4"
1520-15	1 1/2"	5 3/4"
1520-20	2"	6"
1520-30	3"	9"
1520-40	4"	9 1/2"



SUMP PUMP SWING CHECK



Compression Connection with Buna "N" Gaskets for both 1 1/4" & 1 1/2" Pipe

No.	Size	Length
1400-15	1 1/4" - 1 1/2"	5 1/4"



CLEAR PVC SWING CHECK SOLVENT WELD
(SLIP X SLIP)

No.	Slip x Slip	Length
1520C05	1/2"	4 1/2"
1520C07	3/4"	4 1/2"
1520C10	1"	5 1/2"
1520C12	1 1/4"	5 1/4"
1520C15	1 1/2"	5 3/4"
1520C20	2"	6"
1520C30	3"	9"
1520C40	4"	9 1/2"



PVC TRUE UNION SWING CHECK VALVES - White
(SLIP x SLIP)

No.	Slip	Length
1720-15	1 1/2" IPS	8.003
1720-20	2" IPS	9.593



AS ABOVE Clear
(SLIP x SLIP)

No.	Slip x Slip	Length
1720C-15	1 1/2" IPS	8.003
1720C-20	2" IPS	9.593



CPVC 90° SPRING CHECK VALVE
1 & 3 LB. SPRINGS AVAILABLE

No.	Tension	Size	Length
1900-15	1/2 lb.	1 1/2"	5"
1901-15	1 lb.	1 1/2"	5"
1903-15	3 lbs.	1 1/2"	5"
1900-20	1/2 lb.	2" Sx2 1/2" SPG	5 1/2"
1901-20	1 lb.	2" Sx2 1/2" SPG	5 1/2"
1903-20	3 lbs.	2" Sx2 1/2" SPG	5 1/2"



VALVE SCREENS
Use on any check valve with a FPT intake to convert to a foot valve.

No.	Slip x Slip	Length
1800-05	1/2"	2 1/2"
1800-07	3/4"	2 3/4"
1800-10	1"	2 1/2"
1800-12	1 1/4"	3 1/2"
1800-15	1 1/2"	3 3/4"
1800-20	2"	3 1/2"

PVC SWING CHECKS COMPRESSION



Designed to be installed between two unthreaded pipes of same size.

No.	Size	Length
1500-12	1 1/4"	7 1/2"
1500-15	1 1/2"	7 1/2"
1500-20	2"	9 3/4"
1500-30	3"	14"

CLEAR PVC SWING CHECKS COMPRESSION



Designed to be installed between two unthreaded pipes of same size.

No.	Size	Length
1500C12	1 1/4"	7 1/2"
1500C15	1 1/2"	7 1/2"
1500C20	2"	9 3/4"
1500C30	3"	14"



PVC BACKWATER VALVE
(SLIP x SLIP)

Gasketed Flapper

No.	Slip x Slip
1530-20	2" x 2"
1530-40	4" x 4"
1530-60	6" x 6"



ABS BACKWATER VALVE
(SLIP x SLIP)

Gasketed Flapper

No.	Slip x Slip
1530A20	2" x 2"
1530A30	3" x 3"
1530A40	4" x 4"
1530A60	6" x 6"